City of Blue Lake 2024 Consumer Confidence Report

Water System Name:	City of Blue Lake	Report Date:	April 3, 2025
--------------------	-------------------	--------------	---------------

We test the drinking water quality for many constituents as required by state and federal regulations. This report shows the results of our monitoring for the period of January 1 to December 31, 2024 and may include earlier monitoring data. During the year of 2024, the City performed over 40 water quality tests along with Humboldt Bay's source testing.

The District's source water has been classified by the State Water Resources Control Board Type of water source(s) in use: (SWRCB) as groundwater not under the direct influence of surface water. The classification is important as to the regulations that a water system must follow to ensure water quality. The Humboldt Bay Municipal Water District is a regional water wholesaler that supplies the drinking water to local communities. Drinking water delivered by the District is drawn from wells below the bed of the Mad River northeast of Arcata. This water-bearing ground below the river is called an aquifer. These wells, called Ranney Wells, draw water from the sands and gravel of the aquifer at depths of 60 to 90 feet, thereby providing a natural filtration process. During the summer, this naturally filtered water is disinfected via chlorination and Name & general location of delivered to the District's wholesale municipal and retail customers in the Humboldt Bay area. source(s): The City of Blue Lake is one of the municipal customers. During the winter, it is further treated at a regional Turbidity Reduction Facility which reduces the occasional turbidity (cloudiness) in the District's source water. While turbidity itself is not a health concern, SWRCB is concerned that at elevated levels, turbidity could potentially interfere with the disinfection process.

A Drinking Water Source Assessment was conducted by the Department of Health Services in August 2002. A copy of this assessment can be obtained at the District office at 828 7th Street Eureka, CA. This assessment found that the source water of the Ranney Wells may be vulnerable to activities that contribute to the release of aluminum and barium. Aluminum is associated with some surface water treatment processes and erosion of natural deposits. Barium is associated with the discharges of oil drilling waste or metal refineries and erosion of natural deposits.

Drinking Water Source Assessment information:

The District treats its water and performs annual monitoring and testing, in accordance with SWRCB regulations and requirements, to ensure its water is safe to drink. The results from the 2024 monitoring and testing program indicate that our water quality is very high, consistent with past years' results.

The following tables list the drinking water contaminants detected during 2024. A detected contaminant is any contaminant detected at or above its Detection Limit for Purposes of Reporting (DLR) (limit is established by SWRCB) or for unregulated contaminants, the Minimum Reporting Level (MRL). The tables show the level of detected contaminants. Contaminants that are not detected, or are detected below the DLR or MRL, are not required to be reported. The tables also show the maximum contaminant levels (MCL) and public health goals (PHG). Definitions for terms used in this report are listed on the next page.

Time and place of regularly
scheduled city council meetings
for public participation:

Fourth Tuesday of each month at 6:30 pm at Skinner Store, behind City Hall at 111 Greenwood Road, Blue Lake, CA 95525.

For more information, contact:	Glenn Bernald, Public Works Superintendent	Phone:	(707) 668-5655

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (U.S. EPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: Permissions from the State Water Resources Control Board (State Board) to exceed an MCL or not comply with a treatment technique under certain conditions.

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system.

Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an *E. coli* MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

ND: not detectable at testing limit

NTU: nephelometric turbidity unit (a measure of turbidity)

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (μg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

μS/cm: microsiemens per centimeter (a measure of electrical conductivity)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides* that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals that are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. EPA and the State Board prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. The U.S. Food and Drug Administration regulations and California law also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1-7 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old. Any violation of an AL, MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report, on table 7.

TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA										
Microbiological Contaminants	Highest No. of Detections	No. of Months in Violation	MCL	MCLG	Typical Source of Bacteria					
Total Coliform Bacteria (state Total Coliform Rule)	1	0	One positive monthly sample	0	Naturally present in the environment					
Fecal Coliform or <i>E. coli</i> (state Total Coliform Rule)	1	0	A routine sample and a repeat sample are total coliform positive, and one of these is also fecal coliform or <i>E. coli</i> positive	0	Human and animal fecal waste					
E. coli (federal Revised Total Coliform Rule)	0	0	(a)	0	Human and animal fecal waste					

Coliform Rule)										waste		
(a) Routine and repeat samples are												
or system fails to analyze total col samples were negative for both E.			e for E. c	coli. Th	ie one positive te	est result tha	t occurre	d was de	emed a sam	pling error after 3 repeat		
			LTS SI	ном	ING THE I	ETECT	ION O	F LEA1	D AND (OPPER		
Lead and Copper	Sample Date	No. of Samples Collected	90 ^t Percei Lev Detec	ntile rel	No. Sites Exceeding AL	AL	PHG	No. of	Schools uesting	Typical Source of		
Lead (ppb)	2024	10	2.5	5	0	15	0.2		0	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits		
Copper (ppm)	2024	10	0.56		1	1.3	0.3	Not a	pplicable	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives		
	TABLE	3 – SAMP	LING I	RESU	JLTS FOR S	SODIUM	AND I	HARDI	NESS			
Chemical or Constituent (and reporting units)	Sample Date	Lev Detec			Range of Detections	MCL		HG CLG)	Typica	al Source of Contaminant		
Sodium (ppm)	2016	3.7	3.7		N/A	None	N	one	generally	ent in the water and is valurally occurring		
Hardness (ppm)	2016	87	87		N/A	None	N	Name the		polyvalent cations present in r, generally magnesium and and are usually naturally g		
TABLE 4 – DET	ECTION	OF CONT	AMIN	ANT	S WITH A F	PRIMAR	Y DRIN	NKING	WATE	R STANDARD		
Chemical or Constituent (and reporting units)	Sample Date	Lev Detec			Range of Detections	MCL [MRDL]	(MC	HG CLG) DLG]	Typica	al Source of Contaminant		
*TTHM (µg/L) (Total Trihalomethanes)	2024	6.7	6.7		6.7		0-2.6	80	N	J/A	Byprodu disinfect	ct of drinking water ion
*HAA5 (µg/L) (Haloacetic Acids)	2024	1.5			0-1.5	60	N	J/A	Byprodu disinfect	ct of drinking water ion		
Chlorine (mg/L)	2024	Average	Average=0.66		.3787	[MRDL = 4.0 (as Cl ₂)]		Drinking 4.0 for treats		g water disinfectant added ment		
Turbidity (NTU)	2024	.81	.81		.0381	TT = 5.0 NTU	N	J/A	hinder the disinfect season, i	off. High Turbidity can be effectiveness of ants. During the winter t is a good indicator of the ness of the filtration system		

TABLE 5 – DETECTION OF CONTAMINANTS WITH A <u>SECONDARY</u> DRINKING WATER STANDARD								
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	SMCL	PHG (MCLG)	Typical Source of Contaminant		
Chloride (mg/L)	2016	3.9			Runoff/leaching from natural deposits; seawater influence			
Color (units)	2016	5.0	N/A	15	N/A	Naturally-occurring organic materials		
Specific Conductance (μS/cm)	2018	130	N/A	1,600	N/A	Substances that form ions when in water		
Sulfate (mg/L)	2016	10.0	N/A	500	N/A	Runoff/leaching from natural deposits; industrial wastes		
Total Dissolved Solids (mg/L)	2016	90	N/A	1,000	N/A	Runoff/leaching from natural deposits		
Turbidity (NTU)	2024	.81	.0381	5 N/A		Soil runoff. High Turbidity can hinder the effectiveness of disinfectants. During the winter season, it is a good indicator of the effectiveness of the filtration system		
TABLE 6 – DETECTION OF UNREGULATED CONTAMINANTS								
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notifica	tion Level	Health Effects Language		
Total Alkalinity (mg/L)	2016	65	N/A	N/A		There are no health concerns related to alkalinity		

Unregulated Contaminant Monitoring Rule (UCMR) -Testing Results

As part of the federal drinking water program, USEPA issues a list of currently unregulated contaminants to be tested by Public Water Systems throughout the nation. This process occurs every five years pursuant to the Unregulated Contaminant Monitoring Rule (UCMR). The purpose of the UCMR program is to determine the prevalence of unregulated contaminants in drinking water. Results of this testing help USEPA determine whether or not to regulate new contaminants for protection of public health.

There have been four cycles of monitoring: UCMR 1 (2001-2003), UCMR 2 (2008-2010), UCMR 3 (2013-2015), and UCMR 4 (2018-2020). UCMR 1 through UCMR 3 tested for a total of 65 constituents The UCMR 4 consists of testing for 10 cyanotoxins, 20 additional contaminants, and 2 indicators. Below are the constituents within the previous five years that were detected above the minimum reporting level in the most recent tests. Information on the potential health effects are also included.

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notification Level	Health Effects Language
HAA5 (μg/L) [Sum of 5 Haloacetic Acids]	2024	1.5	0-1.5	60 μg/L	Some people who drink water containing haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.
HAA6 (μg/L) [Sum of 6 Haloacetic Acids]	2019	1.91	N/A	N/A	Some people who drink water containing haloacetic acids in excess over many years may have an increased risk of getting cancer.
HAA9 (μg/L) [Sum of 9 Haloacetic Acids]	2019	13.11	N/A	N/A	Some people who drink water containing haloacetic acids in excess over many years may have an increased risk of getting cancer.
Total Organic Carbon (μg/L)	2019	1100	1000	N/A	Indicator of the potential to form haloacetic acids during water treatment. Total Organic Carbon has no known health effect.

TABLE 7 – VIOLATION OF MCL, MRDL, AL, TT, OR MONITORING REPORT REQUIREMENTS									
Violation	Explanation	Duration	Action Taken to Correct Violation	Health Effects Language					
Failure to sample HAA5 (Haloacetic Acids)	Unaware sample was required	2022-2023	Will collect sample annually in future	Some people who drink water containing Haloacetic acids in excess of the MCL over many years have an increased risk of getting cancer					
Failure to sample TTHM (Total Trihalomethanes)	Unaware sample was required	2022-2023	Will collect sample annually in future	Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous system, and may have an increased risk of getting cancer.					

Notice about the Effects of of Violation

This violation is for the failure to sample for the above contaminants, as the frequency of the sampling schedule was changed from every three years to every year and the City wasn't aware of this change. The previous tests that were performed along with the test in 2024 are all well below the MCL for this contaminant, so there were no health effects for this violation. The City will test annually for these contaminants in the future going forward.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. EPA's Safe Drinking Water Hotline (1-800-426-4791).

A number of people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. U.S. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Humboldt Bay Municipal Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking, (if you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants). If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/lead.

Summary Information for Operating Under a Variance or Exemption

HBMWD's source water has been classified by the State Water Resource Control Board (SWRCB) as groundwater, not under the direct influence of surface water. The classification is important as to the regulations that a water system must follow to ensure water quality. In 2009, HBMWD requested the water system be exempt from triggered source groundwater monitoring under the Groundwater Rule because the system consistently achieves 4-log virus inactivation prior to their first service connection. The California Department of Public Health concurred and has approved the requested exemption.